

PRECO CONCRETE LTD

Paving the path to quality



PRODUCT CATALOGUE

PRECO CONCRETE LIMITED

PRODUCT CATALOGUE

Kenya's Sustainable Precast Concrete Infrastructure Partner

Incorporated 2024	Operating Since 2019	Headquarters Ngong, Nairobi
-----------------------------	--------------------------------	---------------------------------------

Version 1.1 | 2026 | Nairobi, Kenya

VISION, MISSION & CORE VALUES

Vision

To become a leading precast concrete manufacturer in the Nairobi Metropolitan region and a trusted supplier for both residential and infrastructure projects.

Mission

To produce high-quality, durable, and affordable concrete products while creating employment, improving infrastructure, and delivering reliable installation services.

Core Values

Quality First	We prioritize durability and precision in all our products
Reliability	We deliver on time and maintain consistent supply
Innovation	Continuous improvement in production methods and product design
Integrity	Honest pricing, transparent operations, and long-term relationships.
Community Impact	Job creation and skills development for local youth
Financial Discipline	We manage our liquidity with precision to ensure uninterrupted production and reliable supplier payments

PLATINUM CABRO DESIGN



Product Overview

The Platinum Design cabro offers a premium geometric finish, combining strength and elegance. Its interlocking hexagonal pattern creates a striking visual effect, ideal for both residential and commercial spaces.

Specifications

Attribute	Details
Shape/Pattern	Hexagonal interlock
Thickness Options	60mm (medium duty)
Colors/Finishes	Black, White, Grey, Red, Yellow (custom blends available)
Surface Finish	Smooth lined finish
Compressive Strength	≥ 30 N/mm ²

Applications

Driveways and courtyards

Walkways and patios

Parking lots

High-end landscaping projects

Key Features

Elegant Finish: Striking tessellation effect for modern aesthetics.

Durability: Engineered for medium duty traffic and long-term use.


Versatility: Multiple color options for customized designs.

Easy Installation: Interlocking system ensures stability and efficiency.

Ordering Information

Lead Time: 7–14 days depending on order size

Past Completed Projects



DELUXE CABRO DESIGN



Product Overview

The Deluxe Design cabro is a premium interlocking paving solution that combines functionality with refined aesthetics. Its distinctive textured surface and geometric interlock make it ideal for high-end projects requiring both durability and elegance.

Specifications

Attribute	Details
Shape/Pattern	Unique interlocking geometric design
Thickness Options	60mm (medium duty)
Colors/Finishes	Red-brown, Grey, Black, Custom blends
Surface Finish	Textured (diamond + brick pattern)
Compressive Strength	≥ 30 N/mm ²

Applications

Residential driveways and courtyards

Walkways and patios

Commercial complexes and parking areas

Decorative landscaping projects

Key Features

Premium Look: Textured finish enhances visual appeal.

Durability: Designed for long-term performance under heavy use.

Versatility: Available in multiple colors and thicknesses.

Interlocking Strength: Ensures stability and easy installation.

Ordering Information

Lead Time: 7–14 days depending on order size

Past projects







SPLENDOR CABRO DESIGN



Product Overview

The Splendor Design cabro is crafted for projects that demand both strength and elegance. Its distinctive three-lobed interlocking pattern creates a bold, eye-catching layout, while ensuring stability under heavy use.

Specifications

Attribute	Details
Shape/Pattern	Three-lobed interlock (Splendor)
Sizes Available	Standard paving dimensions (e.g., 200mm x 200mm x 60mm)
Thickness Options	60mm (light traffic), 80mm (heavy traffic)
Colors/Finishes	Black, Grey, Red, Custom blends

Attribute	Details
Surface Finish	Textured concrete
Compressive Strength	≥ 30 N/mm ²

Applications

Driveways and courtyards

Walkways and patios

Parking areas

Decorative landscaping projects

Key Features

Distinctive Pattern: Unique three-lobed design for bold aesthetics.

Durability: Engineered for long-term performance under heavy loads.

Versatility: Available in multiple colors and thicknesses.

Interlocking Strength: Provides stability and ease of installation.

Ordering Information

Lead Time: 7–14 days depending on order size

Past Completed Projects





ARROW CABRO DESIGN



Product Overview

The Arrow Design cabro features a bold Y-shaped interlocking pattern that delivers both strength and visual appeal. Its geometric layout creates dynamic paving surfaces, making it ideal for modern residential and commercial projects.

Specifications

Attribute	Details
Shape/Pattern	Y-shaped interlock (Arrow)
Sizes Available	Standard paving dimensions (e.g., 200mm x 200mm x 60mm)
Thickness Options	60mm (light traffic), 80mm (heavy traffic)
Colors/Finishes	Grey, Black, Yellow, Red, Multicolor blends
Surface Finish	Textured (diamond + pebbled sections)
Compressive Strength	≥ 30 N/mm ²

Applications

Driveways and courtyards

Walkways and patios

Parking areas

Decorative landscaping projects

Key Features

Dynamic Pattern: Arrow-shaped interlock creates striking geometric layouts.

Durability: Designed for heavy traffic and long-term use.

Versatility: Available in multiple colors and finishes.

Interlocking Strength: Ensures stability and efficient installation.

Ordering Information

Lead Time: 7–14 days depending on order size

Past Completed Projects





NEW DELUXE CABRO PATTERN



Product Overview

The New Deluxe Design cabro is a refined evolution of our classic Deluxe paving solution. With its intricate geometric motifs and textured surfaces, it offers a decorative yet highly functional finish. This design is perfect for projects that demand a balance of durability and aesthetic sophistication.

Specifications

Attribute	Details
Shape/Pattern	Decorative interlock with circular and diamond motifs
Sizes Available	Standard paving dimensions
Thickness Options	60mm (medium duty)
Colors/Finishes	Grey, Black, Red, Yellow, Multicolor blends
Surface Finish	Textured (honeycomb + diamond patterns)
Compressive Strength	$\geq 30 \text{ N/mm}^2$

Applications

Courtyards and driveways

Walkways and patios

Commercial complexes and decorative landscaping

Public spaces requiring aesthetic paving

Key Features

Enhanced Aesthetics: Decorative motifs add elegance to outdoor spaces.

Durability: Engineered for long-term performance under heavy use.

Versatility: Available in multiple colors and finishes.

Interlocking Strength: Provides stability and efficient installation.

Ordering Information

Lead Time: 7–14 days depending on order size

Past Completed Projects



TRIHEX CABRO DESIGN



Product Overview

The Trihex Design cabro is a robust interlocking paving solution featuring a three-sided geometric pattern. Its unique triangular-hexagonal layout provides superior interlock strength and a visually striking finish, making it ideal for both residential and commercial applications.

Specifications

Attribute	Details
Shape/Pattern	Triangular hexagonal interlock (Trihex)
Sizes Available	Standard paving dimensions
Thickness Options	60mm (medium duty)
Colors/Finishes	Grey, Black, Red, Yellow, Multicolor blends
Surface Finish	Textured concrete
Compressive Strength	≥ 30 N/mm ²

Applications

Driveways and courtyards

Walkways and patios

Parking lots and commercial complexes

Heavy traffic areas requiring strong interlock

Key Features

Strong Interlock: Trihex geometry ensures superior stability.

Durability: Designed for heavy-duty use and long-term performance.

Versatility: Available in multiple colors and finishes.

Aesthetic Appeal: Bold geometric layout enhances outdoor spaces.

Ordering Information

Lead Time: 7–14 days depending on order size

Past Completed Projects





NILE TILE DESIGN



Product Overview

The Nile Tile cabro features a flowing wave-like motif that brings elegance and movement to paved surfaces. Its textured finish and interlocking design make it both decorative and highly functional, suitable for a wide range of outdoor applications.

Specifications

Attribute	Details
Shape/Pattern	Wave-textured rectangular interlock (Nile Tile)
Sizes Available	Standard paving dimensions (300mm x 300mm x 25mm)
Thickness Options	25mm (light duty)
Colors/Finishes	Beige, Grey, Red, Black, Custom blends
Surface Finish	Smooth + textured wave motif
Compressive Strength	≥ 30 N/mm ²

Applications

Walkways and patios

Veranda

Roof tops

Decorative landscaping projects

Key Features

Elegant Wave Motif: Adds a sense of flow and sophistication to outdoor spaces.

Durability: Engineered for long-term performance under heavy use.

Versatility: Available in multiple colors and finishes.

Interlocking Strength: Provides stability and efficient installation.

Ordering Information

Lead Time: 7–14 days depending on order size

Past Completed Projects



MAGNUM TILE DESIGN



Product Overview

The Magnum Tile is a decorative square paving tile featuring a bold geometric motif with star and diamond elements. It is designed to enhance verandas, walkways, and patios with a distinctive aesthetic while maintaining durability for pedestrian use.

Specifications

Attribute	Details
Shape/Pattern	Square tile with star-and-diamond motif
Dimensions	300mm x 300mm
Thickness	25mm (pedestrian use only)
Colors/Finishes	Black, Grey, Red, Custom blends
Surface Finish	Embossed geometric texture
Compressive Strength	≥ 30 N/mm ² (optimized for light traffic)

Applications

Verandas

Walkways

Patios

Roof tops

Key Features

Distinctive Motif: Star and diamond design adds elegance and symmetry.

Light-Use Design: Optimized for pedestrian areas, not suitable for heavy traffic.

Versatility: Available in multiple colors and finishes.

Easy Installation: Square format simplifies alignment and layout.

Ordering Information

Lead Time: 7–14 days depending on order size

ROAD CHANNEL



Product Overview

Road Channels are precast concrete edging units designed to secure pavements in place and provide neat boundaries along roads and driveways. Unlike open-top drainage channels, these are specifically engineered for road edging and pavement retention, ensuring stability and durability.

Specifications

Attribute	Details
Shape/Pattern	Rectangular edging channel
Dimensions	100mm (width) × 125mm (height) × 900mm (length)
Thickness	Solid cast
Colors/Finishes	Natural grey concrete
Surface Finish	Smooth cast finish
Compressive Strength	≥ 25 N/mm ²

Applications

- Road edging

Driveway boundaries

Pavement retention

Landscaping projects requiring edge stability

Key Features

Secure Edging: Holds pavements firmly in place.

Durability: Engineered for long-term use under road conditions.

Ease of Installation: Precast units simplify construction and reduce labor costs.

Neat Finish: Provides clean boundaries for paved areas.

Ordering Information

Lead Time: 7–14 days depending on order size

ROAD KERB



Product Overview

Road Kerbs are precast concrete edging units designed to provide strong boundaries for roads, driveways, and paved areas. They not only secure pavements in place but also play a vital role in landscaping by forming raised edges for lawns and gardens.

Specifications

Attribute	Details
Shape/Pattern	Rectangular kerb block
Dimensions	125mm (width) × 250mm (height) × 900mm (length)
Colors/Finishes	Natural grey concrete

Attribute	Details
Surface Finish	Smooth cast finish
Compressive Strength	$\geq 25 \text{ N/mm}^2$

Applications

Road edging

Driveway boundaries

Pavement retention

Raised landscaped lawns and garden edges

Key Features

Secure Edging: Holds pavements firmly in place.

Durability: Engineered for long-term use under road and landscaping conditions.

Versatility: Functions both as pavement support and lawn edging.

Neat Finish: Provides clean, professional boundaries for paved and landscaped areas.

Ordering Information

Lead Time: 7–14 days depending on order size

Pavement Slab



Product Overview

Pavement Slabs are large-format precast concrete units designed for pedestrian areas. Their clean finish and generous dimensions make them ideal for verandas, walkways, patios, and landscaped public spaces where stability and aesthetics are equally important.

Specifications

Attribute	Details
Shape/Pattern	Square slab
Dimensions	600mm × 600mm
Thickness	60mm
Colors/Finishes	Natural grey, Red, Black, Custom blends
Surface Finish	Smooth cast finish
Compressive Strength	≥ 25 N/mm ²

Applications

Verandas

Walkways

Patios

Landscaped public spaces

Key Features

Large Format: Provides wide coverage with fewer joints.

Durability: Engineered for pedestrian use in outdoor environments.

Versatility: Available in multiple colors and finishes.

Neat Finish: Creates clean, modern surfaces for decorative and functional spaces.

Ordering Information

Lead Time: 7–14 days depending on order size



PRECO CONCRETE LTD

Paving the path to quality

PRECO CONCRETE LTD
Ngong, Nairobi, Kenya
phone no. 0718417554 - Austin

© 2026